

Türkçe

English





İstanbul



F İstanbul 2024 Katılımcı Teknik Bilgilendirme Dosyası

Fuar Alanı : İstanbul Fuar Merkezi, Yeşilköy

Fuar Alanına Giriş ve Hazırlık Tarihleri : 7-9 Temmuz 2024

Stand kurulum, tır, kamyon ve ticari araç girişi 7-8 Temmuz 2024
Stand İçi Hazırlık 9 Temmuz 2024

Fuardan 1 gün önce alana ticari araç girişine müsaade edilmeyecektir, hangar kapıları kapalı olacak ve sadece el ile giriş yapılabilecektir.

Fuar günlerinde içeri giriş yapacak stand firmalarının hizmet verdiği firmadan yaka kartı talep etmesi gerekmektedir.

Organizasyon Hazırlıkları : Tüm hazırlıklar <https://platform.idos.events> web sitesi üzerinden yapılmalıdır. **Yaka kartları, online katalog bilgileri, elektrik vb ekstra siparişler, fuar stand krokisi** vb tüm bu bilgilere bu platform üzerinden ulaşılabilir.

Platform üzerinden tüm misafirlerinizi fuara davet edebilmekte ve potansiyel ziyaretçileri ile ilgili bir çok bilgiye ulaşılabilir.

Kullanıcı adınız imzaladığınız sözleşme üzerindeki fuar yetkili e-mailidir. Şifreniz bu maile gönderilecek olup "forgot password" linki ile yenilenebilir.

Organizasyonel Sorular : Kemal Alioğlu / kemal@federalfuar.com Tel: 0212 706 10 89 (Dahili: 601)

	7 Temmuz Pazar	8 Temmuz Pazartesi	9 Temmuz Salı	10 Temmuz Çarşamba	11 Temmuz Perşembe	12 Temmuz Cuma	13 Temmuz Cumartesi	14 Temmuz Pazar
Özel Dekor 2-4-8 Hol Giriş	09:00 23:59	00:00 23:59	00:00 - 17:00 Stanta Ürün Yerleştirilmesi Cezalı Yük Aracı Girişi					
Özel Dekor 6-7 Hol Giriş	09:00 23:59	00:00 23:59	00:00 - 17:00 Stanta Ürün Yerleştirilmesi Cezalı Yük Aracı Girişi					
Standart Stantlı Firmaların Yerleşimi			00:00 - 17:00 Stanta Ürün Yerleştirilmesi Cezalı Yük Aracı Girişi					
Fuar Ziyaret Saatleri				10:00 18:00	10:00 18:00	10:00 18:00	10:00 16:00	
Stant Söküm							17:00-19:00 Sadece elle taşınabilir ürünler 19:00 - 23:59 Hangar kapılarının açılışı	00:00 23:59

Standart Stantlar

Sözleşmesinde standart stand hizmeti bulunan katılımcılar standının gerçek çizimini <https://platform.idos.events> üzerinde kendilerine ait alanda görebilmektedir. Bu standlar üzerinde fuar alanında herhangi bir değişiklik **yapılamamaktadır**. Stand dijitallerinin tasarımı, baskısı uygulaması katılımcı firmaya aittir.

Standart stand alıp makine çalıştıracak firmaların ayrıca elektrik siparişi vermesi gerekmektedir.

Stand dijitallerinin tasarımı, baskısı ve uygulaması KATILIMCI'ya aittir.



Banko baskı alanı
91 cm x 91 cm

Panel baskı alanı
94 cm x 236 cm

	9 m ²	12 m ²	15 m ²	18 m ²	21 m ²	24 m ²	27+ m ²
Masa	1	1	1	2	2	2	3
Sandalye	3	3	3	6	6	6	9
Banko	1	1	1	2	2	2	3
Grup Priz	1	1	1	1	1	1	1
Raf	3	3	3	6	6	6	9
Halı	✓	✓	✓	✓	✓	✓	✓
Alınlık İsmi	✓	✓	✓	✓	✓	✓	✓

Stand elemanlarına başka bir aksesuar, vb sabitlenmemelidir. Çivi, raptiye, dübel gibi panel yüzeyine ve konstrüksiyona zarar verecek başka malzemelerin kullanılmasına izin verilmeyecektir. Stand elemanlarına gelecek her türlü zarar katılımcıya fatura edilecektir

Ekstra Malzemeler

Son Sipariş Tarihi 21 Haziran 2024

Bu tarihten sonra verilecek siparişlerin temini stok durumuna göre belirlenecek olup hizmetin verilebilmesi durumunda fiyatlandırması %100 zamlı olarak yapılmaktadır.

Siparişleri lütfen <https://platform.idos.events/> adresinden veriniz.

Teknik Bilgiler ve Kurallar

Fuar alanı yükleme boşaltma:

Fuar alanı resmi yükleme boşaltma taşıma hizmet firması Grup Trans olup tüm forklift , işçi, depolama vb siparişler için 0212 465 79 65 nolu telefondan iletişime geçilmelidir.

İş güvenliği:

Fuar alanında akredite dahi olsa çalışacak stand firmalarının iş güvenliği izinlerini almak zorundadır. Detaylı bilgi için 0212 438 38 53

Özel Dekorasyon Yapacak Firmaların Uyması Gereken Kurallar

- Federal fuar standların yerlerini değiştirme hakkına sahiptir bu sebeple, fuar standının yerini <https://platform.idos.events> adresinden teyid ediniz.
- Özel dekorasyon uygulamalarında dekoratör, organizatörün belirlediği şartlara uymak ve katılımcılar da stand dizaynını (bölümler ve görünüşler, stand ekipmanlarının yüksekliğini, bölme duvarları, arka mesafeler, ofis kulübeleri, pencereler vb. dahil olarak çizilmiş dekorasyon projesi) gösteren çizimleri organizatöre platform üzerinden iletmek zorundadır.
- **Özel dekorasyon uygulamalarında alçıpan uygulamaları kesinlikle yasaktır.**
- Sergilenecek ürünler maksimum duvar yüksekliği olan yerden 4,5 metre yüksekliği aşmamalıdır ve tahsis edilen stand alanının sınırlarını geçmemelidir.
- 4 metre yüksekliği aşan standlar için prosedür gereği İFM iş güvenliği firması inşaat mühendisi onaylı statik raporu istemektedir. Statik raporları İFM yetkili iş güvenliği firması olan Akbulut Akademi ye iletilecektir.
- Stand duvarlarının komşu stanttan yüksek olması durumunda yüksek kısmı temiz ve beyaza boyanmış olmalıdır.
- Stand alanınız içerisinde olan yangın dolabı, havalandırma menfezi gibi bölümlerin gerekli şekilde önlerinin açık olması zorunludur.
- Fuar alanı tavanına hiçbir malzeme asılmasına izin verilmemektedir.
- Katılımcı ya da dekoratör tarafından fuar alanına ya da mülküne verilen hasar katılımcı firmadan fuar kapanışından önce tanzim edilecektir.
- Fuar alanı içerisinde her türlü stant üretimi organizatör tarafından durdurulacaktır, tüm stantlar fuar merkezine gelmeden önce montaja hazır olmalıdır.
- Sergi salonlarında büyük çapta kesme, spreyci boyama ve kaynak yapılmasına izin verilmez. Salonların zeminlerine direkt olarak boya, harç vb. uygulanmamalıdır. Yangına sebebiyet verebilecek malzeme ve uygulamalar kesinlikle yasaktır.
- Fuar bitiminde müsade edilen süre içerisinde standın sökülmesinden ve alanın temizliğinden katılımcı firma veya yükleniciler sorumludur.
- Zemin kaplamasını sabitlemek için kullanılan çift taraflı bantların tamamen çıkarılmasından katılımcı firma veya yükleniciler sorumludur.
- Döşeme, fuar alanı malzemesi ve diğer ekipmanlarda meydana gelen her türlü hasar ve fuar alanına bırakılan moloz atıkların (sunta, demir vb.) tahliye masrafları katılımcı firmaya fatura edilecektir.
- Güvenli bir kurulum ve söküm süreci geçirmek için İş Güvenliği Sorumlusu adında sorumlu bir kişi belirlenmelidir. İş Güvenliği Sorumlusu, katılımcı firmanın tam zamanlı çalışanı olmalı ve kurulum-söküm süreci boyunca fuar alanında iş güvenliği kurallarını takip etmelidir.
- **Organizatör tarafından onaylanmamış özel standların kurulumuna izin verilmeyecektir.**

Teknik Bilgiler ve Kurallar

Ekstra Elektrik:

Özel stand kuran veya makine çalıştıracak firmaların sipariş ettikleri elektrik bağlantılarının çıkış noktalarını belirten bir şemayı platforma yükleyerek organizatöre bildirme zorunluluğu vardır. Aksi takdirde organizatör stant içerisinde en uygun noktadan çıkartacak olup bağlantı noktası değişikliklerinde ekstra ücretlendirme yapılacaktır. **24 saat elektrik ihtiyacı olan ürün dolapları için ayrıca elektrik bağlantı siparişi verilmesi ve bağlantı çıkış noktası bildirilmesi gerekmektedir.**

Standlara elektrik, 3 x 380 V / 50 Hz olarak güç verilir. Talep edilen enerji **çiplak kablo olarak verilir.** Soket uçlu enerji kablosu verilmemektedir. Katılımcılar stand içerisindeki tesisat işlerini kendi stant mimarları ve elektrikçileri ile yapmak ve standartlara uygun olarak yaptırmak zorundadırlar (Sigorta Kutusu, kablo ve gerekli elektrikli ekipmanlar). Organizatör elektrik ekipmanları; soket, kablo, sigorta kutusu ve elektrik ile ilgili her türlü ekipmanı temin **etmemektedir.**

Her türlü bağlantı için (Monofaze ve trifaze), katılımcılar Tse standartlarında ve Kaçak Akım Rölesi olan kendi elektrik panellerini kullanmaları gerekmektedir. Katılımcı, kaçak akım rölesi olan elektrik paneli getirmediği takdirde elektrik bağlantısı yapılmayacaktır. Onay monofaze ve trifaze bağlantıları için talep edilmektedir.

Hava:

Fuar alanı altyapısında 6 atm basınçlı hava mevcuttur. Hava bağlantısı ½ ağızlık getirilerek sağlanır. Hava bağlantısının stand içerisindeki bağlantıları katılımcı firma veya belirledikleri dekoratör firma tarafından sağlanmalıdır. Bu hizmet formu ile hava bağlantısı noktaları stand planıyla birlikte organizatörün onayına sunulması gerekmektedir.

Su:

Su bağlantısı standta hortum ağzı getirilerek sağlanır. Standın içerisindeki su bağlantıları katılımcı yada belirlediği dekoratör firma tarafından yapılmalıdır. Su basıncı 1 ve 2 atm arasındadır. Drenaj boru çapı 50 mm ve sadece sıvı içindir. İçme suyu olarak kullanılamaz; lütfen kullanım amacı dışında kullanmayınız. Bu hizmet formu ile bir su bağlantısı diyagramı, su bağlantısı noktalarıyla birlikte stand planının içinde organizatörün onayına sunulması gerekmektedir.

Tüm Ekstra Taleplerinizi <https://platform.idos.events> adresinden verebilirsiniz.

Verimli bir fuar geçirmeniz dileğiyle.



Istanbul



F Istanbul 2024 Exhibitor Manual

Venue : Istanbul Expo Center, Yeşilköy

Exhibition Preparation Dates : 7-9 July 2024

Built up, truck and Commercial vehicle entry: July 7-8, 2024

Stand Preparatio: July 9, 2024

Commercial vehicles will not be allowed on the site 1 day before the exhibition.

Hangar doors will be closed and product/material transport can be done manually (no transport vehicles allowed).

Stand companies working during the exhibition days must request a badge from the participating company for which they serve service.

Preparations : All preparations must be done via the <https://platform.idos.events> website.

Exhibitor Badges, Online catalogue information, extra orders such as electricity, exhibition lay-out, etc. all these information can be accessed through this platform. You can invite all your visitors to the F ISTANBUL through Platform and access to potential visitors. Your email address, as given in the exhibitor contract is your username. Your password will be sent to this e-mail and can be renewed with the "forgot password" link."

Organizational Inquiries : Mr. Kemal Alioğlu / kemal@federalfuar.com
Tel: +90 212 706 10 89 (Ext: 601)

	7 July Sunday	8 July Monday	9 July Tuesday	10 July Wednesday	11 July Thursday	12 July Friday	13 July Saturday	14 July Sunday
Custom Decor 2-4-8 Hall Entrance	09:00 23:59	00:00 23:59	00:00 - 17:00 Stand Product Placement <small>Penalized Vehicle Entry</small>					
Custom Decor 6-7 Hall Entrance	09:00 23:59	00:00 23:59	00:00 - 17:00 Stand Product Placement <small>Penalized Vehicle Entry</small>					
Preparation and hand over date of standard stands			00:00 - 17:00 Stand Product Placement <small>Penalized Vehicle Entry</small>					
Exhibition Dates				10:00 18:00	10:00 18:00	10:00 18:00	10:00 16:00	
Dismantling							17:00-19:00 Only hand-held products are allowed 19:00 - 23:59 Opening date and hour of Cargo Doors	00:00 23:59

Standard Stands

Exhibitors who participate with standard stand can see their booth design from the platform <https://platform.idos.events>. No changes can be made on these stands during the set-up. The design, printing and application of the digitals in the booth belongs to the exhibitor company.

Exhibitors that will participate with a standard stand and operate machinery at their stand must also order electricity.

Artworks for stand panels will be prepared and applied by the exhibitor.



Sample

Info Desk Size
91 cm x 91 cm

Panel Size
94 cm x 236 cm

	9 sq.m.	12 sq.m.	15 sq.m.	18 sq.m.	21 sq.m.	24 sq.m.	27+ sq.m.
Table	1	1	1	2	2	2	3
Chair	3	3	3	6	6	6	9
Counter	1	1	1	2	2	2	3
Group Socket	1	1	1	1	1	1	1
Shelf	3	3	3	6	6	6	9
Carpeting	✓	✓	✓	✓	✓	✓	✓
Fascia Name	✓	✓	✓	✓	✓	✓	✓

No other accessories, etc. should be fixed to the materials in the stand. The use of other materials such as nails, fasteners, dowels that will damage the panel surface and construction will not be allowed. Any damage to the materials in the booth will be invoiced to the exhibitor.

Ekstra Furniture

Order deadline 21 June 2024

After given deadline, the procurement of orders will be determined according to stock availability, and if the service can be provided, pricing will be increased by 100%.

Please place your orders at <https://platform.idos.events/>

Technical Informations and Rules

Fairground loading and unloading:

The official loading and unloading transportation service company of the fairground is GrupTrans. For all forklift, worker, storage, etc. orders, you should contact +90 212 465 79 65.

Safety Regulations:

Even if they are accredited to the fairground, the stand companies that will work must obtain the occupational safety permits. For detailed information +90 212 438 38 53

Rules to be followed by Special Decoration Custom stand contractors:

- Federal Fuar company has the right to change the location of the stands, please confirm the location of your stand from <https://platform.idos.events>.
- In special decoration, the decorator must comply with the conditions determined by the organizer and the exhibitors must submit the drawings showing the stand design (sections and views, the height of the stand booth, the decoration project including the partition walls, back spaces, office booths, windows, etc.) to the organizer via the platform.
- **Plasterboard material applications are strictly prohibited in special decoration applications.**
- The products to be exhibited must not exceed 4.5 meters from the floor, which is the maximum wall height, and must not exceed the limits of the allocated stand area.
- Stands exceeding 4 meters in height require a civil engineer-approved static report from the IFM occupational safety firm as per the procedure. Static reports will be forwarded to Akbulut Akademi, the authorized occupational safety firm of IFM.
- If the stand walls are higher than the neighboring stand, the high part must be clean and painted white.
- If there are sections such as fire cabinets and ventilation grilles in your stand area, they must not be blocked.
- It is not allowed to hang any material on the ceiling of the fairground.
- Damage caused to the fairground or property by the exhibitor or decorator will be compensated from the exhibitor company before the closing date of the exhibition.
- If any damage is done to the exhibition area or property by the exhibitor or decorator company, all of the damage will be invoiced and paid by the exhibitor before the closing date of the exhibition.
- Large-scale cutting, spray painting and welding are not permitted in the exhibition halls. Paint, mortar, etc., directly on the floors of the halls should not be applied. Materials and applications that may cause fire are strictly prohibited.
- At the end of the exhibition, the exhibitor or contractors are responsible for the dismantling of the stand and the cleaning of the area within the allowed time.
- Participating companies or contractors are responsible for the complete removal of the double-sided tapes used to fix the floor covering.
- All kinds of damage to the flooring, fairground materials and other equipment and the evacuation costs of the rubble wastes (drywall, chipboard, iron, etc.) left in the fairground will be invoiced to the exhibitor company.
- A responsible person "Occupational Safety Officer" should be determined in order to have a safe installation and dismantling process. Occupational Safety Officer must be a full-time employee of the exhibiting company and must follow the occupational safety rules in the exhibition area throughout the installation-disassembly process.
- **The installation of special stands (Stands with Raw Space) that are not approved by the organizer will not be allowed.**

Technical Informations and Rules

Extra Electric Order:

Companies that participate with specials stands or will operate machine in their booth are obliged to upload a file indicating the outlet points of the electrical connections they ordered. Otherwise, the connection will not be done by organizer. Product cabinets must be ordered separately.

The stands are powered by electricity, 3 x 380 V / 50 Hz. The requested energy is given as bare cable. Socket-tipped power cord is not supplied. Exhibitors have to do the plumbing works in the stand with their stand architects and electricians and have them done in accordance with the standards (Fuse Box, cable and necessary electrical equipment). The organizer does not supply electrical equipment, sockets, cables, fuse boxes and any electrical equipment.

For all kinds of connections (single-phase and three-phase), exhibitors are required to use their own electrical panels in TSE standards and with Residual Current Relays. If the exhibitor does not bring an electrical panel with a Residual Current Relays, no electrical connection will be made. Approval is requested for single-phase and three-phase connections.

Air:

There is 6 bar compressed air in the infrastructure of the fairground. Air connection is provided by bringing ½ nozzle. The connections of the air connection inside the stand must be provided by the exhibitor company or the decorator company they have determined. With this service form, air connection points must be submitted for the approval of the organizer together with the stand plan.

Water:

Water connection is provided by bringing a hose nozzle to the stand. The water connections inside the stand must be made by the exhibitor or the decorator it has determined. Water pressure is between 1 and 2 atm. Drain pipe diameter is 50 mm and is for liquid only. It cannot be used as drinking water; Please do not use for other than intended use. With this service form, a water connection diagram together with the water connection points must be submitted for the approval of the organizer in the stand plan.

For All Your Extra Equipments please visit: <https://platform.idos.events>

Wishing you a successful exhibition.